



Substitute for form 1449B/PTO

Complete if Known

INFORMATION DISCLOSURE
STATEMENT BY APPLICANT

(use as many sheets as necessary)

Sheet 1 of 2

Application Number	09/780,434
Filing Date	02/12/2001
First Named Inventor	Purnendu K. Dasgupta
Group Art Unit	1743
Examiner Name	
Attorney Docket Number	TTU D-0268

OTHER PRIOR ART -- NON PATENT LITERATURE DOCUMENTS

Examiner Initials ¹	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	
as	✓	SWEILEH, J.A.; DASGUPTA, P.K., "Applications of In Situ Detection with an Automated Micro Batch Analyzer," Analytica Chimica Acta, 1st ed., Elsevier Science Publishers B.V., Amsterdam, The Netherlands (Lubbock, TX), p. 107-120, (June 1, 1988), Vol. 214,	X
as	✓	BARTOLI J.; ALERM, L., "Micro-Batch Flow Titration," Analytical Letters, Universitat Autònoma de Barcelona (Spain), Vol. 28 (No. 8), p. 1483-1497, (June 1, 1995).	X
as	✓	GRATZL, MIKLOS; CHEN YI, "Diffusional Microtitration: Acid/Base Titrations in Pico- and Femtoliter Samples," Analytical Chemistry, American Chemical Society, p. 2085-2088, (June 1, 1993), Vol. 65,	X
as	✓	BLAEDEL, W.J.; LAESSIG, R.H., "Continuous Automated, Buretteless Titrator with Direct Readout," Analytical Chemistry, Vol. 36 (No. 8), p. 1617-1623, (July 1, 1964).	X
as	✓	BLAEDEL, W.J.; LAESSIG, R.H., "Continuous Titrations with a Tubular Mercury-EDTA Electrode," Analytical Chemistry, Vol. 37 (No. 3), p. 332-336, (March 1, 1965).	X
as	✓	CALATAYUD, J.M.; FALCO, P.C.; ALBERT, R.M., "Flow Method for the Titration of Weak Acids or Weak Bases Using Linear Titration Plots," Analyst, p. 1063-1066, (July 1, 1987), Vol. 112,	X
as	✓	MCCALLUM, C.; MIDGLEY, D., "Linear Titration Plot for Resolving Mixtures of Weak Acids by Potentiometric Titration," Analytical Chemistry, Vol. 48 (No. 8), p. 1232-1235,	X
as	✓	KATSUMATA, H.; TESHIMA, N.; KURIHARA, MAKOTO; KAWASHIMA, TAKUJI, "Potentiometric Flow Titration of Iron (II) and Chromium (VI) Based on Flow Rate Ratio of a Titrant to a Sample," Talanta, Elsevier Science B.V. (Amsterdam, The Netherlands), p. 135-141, (June 1, 1999), Vol. 48,	X
as	✓	KORN, M.; GOUVEIA, L.F.; DE OLIVEIRA, E.; REIS, B.F., "Binary Search in Flow Titration Employing Photometric End-Point Detection," Analytica Chimica Acta, Elsevier Science, B.V. (Amsterdam, The Netherlands), p. 177-184, (June 1, 1995), Vol. 313,	X
as	✓	MARTELLI, P.B.; REIS, B.F.; KORN, M.; COSTA LIMA, J.L.F., "Automatic Potentiometric Titration in Monosegmented Flow System Exploiting Binary Search," Analytica Chimica Acta, Elsevier Science, B.V. (Amsterdam, The Netherlands), p. 165-173, (June 1, 1999), Vol. 387,	X
as	✓	YARNITZKY, C.N.; KLEIN, N.; COHEN, O., "Automated Titrations with an Alternate Flow Exponential Speed Variation System," Talanta, Pergamon Press Ltd (Great Britain), Vol. 40 (No. 12), p. 1937-1941, (June 1, 1993).	X

Examiner
Signature

Arlin Soderquist

Date

Considered

3/20/03

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Unique citation designation number. ² Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Substitute for form 1449B/PTO

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**

(use as many sheets as necessary)

Sheet 2 of 2**Complete if Known**

Application Number	09/780,434
Filing Date	02/12/2001
First Named Inventor	Purnendu K. Dasgupta
Group Art Unit	1743
Examiner Name	
Attorney Docket Number	TTU D-0268

OTHER PRIOR ART -- NON PATENT LITERATURE DOCUMENTS

Examiner Initials [*]	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
AS	✓	GARCIA, I.L.; VINAS, P.; CAMPILLO, N.; HERNANDEZ CORDOBA, M., "Linear Flow Gradients for Automatic Titrations," Analytica Chimica Acta, Elsevier Science B.V. (Amsterdam, The Netherlands), p. 67-76, (June 1, 1995), <u>Vol. 308</u> .	X
AS	✓	FLEET, B.; HO, A.Y.W., "Gradient Titration - A Novel Approach to Continuous Monitoring Using Ion-Selective Electrodes," Analytical Chemistry, Vol. 46 (No. 1), p. 9-11, (January 1, 1974).	X
AS	✓	NAGY, G.; FEHER, Z.; TOTH, K.; PUNGOR, E., "A Novel Titration Technique for the Analysis of Streamed Samples - The Triangle-Programmed Titration Technique," Analytica Chimica Acta, Elsevier Science, B.V. (Amsterdam, The Netherlands), p. 97-106, (June 1, 1977), <u>Vol. 91</u> .	X
AS	✓	RHEE, J-S; DASGUPTA, P.K., "Studies on Peak Width Measurement-Based FIA Acid-Base Determinations," Mikrochimica Acta, Springer-Verlag (Wien, Austria), Vol. III (No. 1-2), p. 49-64, (June 1, 1985).	X
AS	✓	RHEE, J-S; DASGUPTA, P.K., "Determination of Acids, Bases, Metal Ions and Redox Species by Peak Width Measurement Flow Injection Analysis with Potentiometric, Conductometric, Fluorometric and Spectrophotometric Detection," Mikrochimica Acta, Springer-Verlag (Wien, Austria), p. 107-122, (June 1, 1986), <u>Vol. 3</u> .	X
AS	✓	TYSON, J.F., "Analytical Information from Doublet Peaks in Flow Injection Analysis, Part I. Basic Equation and Applications to Flow Injection Titrations," Analyst, p. 523-526, (June 1, 1987), <u>Vol. 112</u> .	X
AS	✓	MARCOS, J.; RIOS, A.; VALCARCEL, M., "Automatic Titrations in Unsegmented Flow Systems Based on Variable Flow-Rate Patterns," Analytica Chimica Acta, Elsevier Science, B.V. (Amsterdam, The Netherlands), p. 489-494, <u>Vol. 261</u> .	X
AS	✓	DASGUPTA, P.K.; BELLAMY, H.S.; LIU, H.; LOPEZ, J.L.; LOREE, E.L.; MORRIS, K.; PETERSEN, K.; MIR, K.A., "Light Emitting Diode Based Flow-Through Optical Absorption Detectors," Talanta, Pergamon Press Ltd. (Great Britain), Vol. 40 (No. 1), p. 53-74, (June 1, 1992).	
AS	✓	CASSIDY, R.M.; ELCHUK, S.; DASGUPTA, P.K., "Performance of Annular Membrane and Screen-Tee Reactors for Postcolumn-Reaction Detection of Metal Ions Separated by Liquid Chromatography," Analytical Chemistry, American Chemical Society, Vol. 59 (No. 1), p. 85-94, (June 1, 1986).	X

Examiner
Signature*Arden Sodergust*

Date

Considered

3/20/03

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Unique citation designation number. ² Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/PTO		Complete if Known	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use as many sheets as necessary)		Application Number	09/780,474-434
		Filing Date	02/12/2001
		First Named Inventor	Pernendu K. Dasgupta
		Group Art Unit	
		Examiner Name	
Sheet 1	of 1	Attorney Docket Number	

[illegible][illegible]

Examiner Signature	<i>John Soderquist</i>	Date Considered	3/20/03
-----------------------	------------------------	--------------------	---------

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Unique citation designation number. ² See attached Kinds of U.S. Patent Documents. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. **DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO:** Assistant Commissioner for Patents, Washington, DC 20231.

+

JUL 09 2001

+

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Complete if Known

Application Number	09/780,474 434
Filing Date	02/12/2001
First Named Inventor	Pernendu K. Dasgupta
Group Art Unit	
Examiner Name	
Attorney Docket Number	

(use as many sheets as necessary)

Sheet 1 of 1

FILED
APR 4 2001
U.S. DISTRICT COURT
SOUTHERN DISTRICT OF NEW YORK

[illegible]

Examiner
Signature

Alan Soderquist

Date _____

Considered

3/20/03

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Unique citation designation number. ² Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. **DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.**

+

~~X~~3

+

Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995 no persons are required to respond to a collection of information unless it contains a valid OMB control number.

AUG 05 2002

Complete if Known

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

Sheet	1	of	1
-------	---	----	---

Application Number	09/780,434
Filing Date	02/12/2001
First Named Inventor	Pernendu K. Dasgupta
Group Art Unit	
Examiner Name	
Attorney Docket Number	

U.S. PATENT DOCUMENTS

[illegible]

FOREIGN PATENT DOCUMENTS

[illegible]

Examiner
Signature

Date	
Considered	

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Unique citation designation number. ² See attached Kinds of U.S. Patent Documents. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231.

DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

+

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

AUG 05 2002

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**

(use as many sheets as necessary)

Sheet

1

C

1

Complete if Known

Application Number	09/780,434
Filing Date	02/12/2001
First Named Inventor	Pernendu K. Dasgupta
Group Art Unit	
Examiner Name	
Attorney Docket Number	

OTHER PRIOR ART -- NON PATENT LITERATURE DOCUMENTS

[illegible]

Duplicate of paper 1

RECEIVED
AUG - 6 2002
TECHNOLOGY CENTER 17000

**Examiner
Signature**

Date
Considered

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Unique citation designation number. ² Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231.